No. D. 3351-Geol. 26-31-19, dated 15th January 1934.

By virtue of the Notification No. D. 4077—Geol. 26-31-6, dated 15th February 1932, issued under Section 21 of the Mysore Petroleum Regulation, 1923, the Government of His Highness the Maharaja of Mysore are pleased to make under Section 8 of the said Regulation the annexed Rules for the Possession and Transport of Carbide of Calcium in the Mysore State, the draft of the said rules having been already published with Notification No. D. 437—Geol. 26-31-17, dated 25th July 1933, as required by law.

By Order,

S. ABDUL WAJID, Secretary to Government, Development Department.

RULES TO REGULATE THE POSSESSION AND TRANSPORT OF CARBIDE OF CALCIUM IN THE MYSORE STATE.

CONTENTS.

PART I-IMPORTATION OF CARBIDE OF CALCIUM. Applicable to Maritime Provinces is omitted

PART 11-OF Possession of Carbide of Calcium.

- Carbide of calcium to be "Commercially Pure."
- Conditions of possession without license.
- Licenses for possession.
- Storage of carbide of calcium.
- Situation of storage buildings. 5.
- Construction of storage buildings. Arrangements in storage buildings.
- Licenses f. possession.
- Continuance of license.
- Fee for license. 10.
- Renewal of license. 11.
- Date of, and fee for application for renewal. 12.
- Packing and marking on sale by retail vendor.
- 14. Packing and opening by retail vendor.

PART III-Transport of Carbide of Calcium.

- Conditions of transport without license.
- Conditions of transport under license. 2.
- Conditions of transport by Railway. 3.
- Special precautions.
- Method of disposal, if wetted in transit. 5.
- Conditions of transport by passenger train.
- Transport licenses. 7.
- Grant of general transport license 8.
- Grant of special transport license. 9.
- Fee for general transport license. 10.
- Application for general transport license. 11.
- Continuance of general transport license. 12. Application for special transport license.
- 13. Continuance of special transport license,
- 14. Fee for special transport license.
- 15. Issue and contents of passes.
- 16. Validity of license granted outside the State.

PART IV-INSPECTION.

- Powers of inspecting officers. 1.
- Requisition of samples. 2.
- Facilities to be afforded to inspecting officers-
- Inspecting during transit.

PART V-GENERAL,

- Description and marking of vessels.
- Refusal of license.
- Report of accident.
- Procedure on death or disability of license.
- Loss of license.
 - Levy of license fees.

PART II-OF Possession of Carbide of Calcium.

Carbide of calcium to be "Commercially pure."

1. No carbide of calcium shall be kept at any place with or without a license unless it is "Commercially pure," i.e., unless it contains no impurities liable to generate phosphoretted or siliciureted hydrogen so as to render the jars evolved liable to ignite spontaneously.

Conditions of possession without license.

- 2. No license shall be required for the possession of carbide of calcium (i) in any quantity not exceeding five pounds if it is kept in separate vessels, each containing not more than one pound, of the nature described in, and labelled as required by Rule I of Part V; (ii) in any quantity exceeding five and not exceeding twenty-eight pounds where the following conditions are observed and the vessels containing it are labelled as required by Rule 1 of Part V:-
- (a) The carbide shall be kept only in metal vessels hermetically closed at all times when the carbide is not actually being placed in or withdrawn from such vessels;

(b) The vessels containing carbide shall be kept in a dry

and well-ventilated place;

(c) due precautions shall be taken to prevent unauthor-

ised persons from having access to the carbide;

(d) notice shall be given of such keeping to the licensing authority referred to in Rule 8 of this Part, and free access shall be afforded to any duly authorised inspector to inspect the portion of the premises where the carbide is kept and the generator, if any, is situated.

Where a fixed generator is used on the premises—

(e) full and detailed instructions as to the care and use of the generator shall be kept constantly posted up in such place as to be conveniently referred to by the generator attendant.

Where it is desired to keep a greater quantity or where the above conditions cannot be complied with, application must be

made to the licensing authority for a license.

Liceuses for possession.

Storage of carbide of

ealcium.

3. (i) Carbide of calcium in any quantity exceeding twentyeight pounds may be kept only under alicense to possess carbide of calcium granted under these Rules.

- (ii) Every application for such license shall be in Form A in the schedule, and where the applicant proposes to engage in the manufacture of acetylene gas, the generating apparatus to be used by the licensee, shall not be made to work at a pressure exceeding 60 inches water column provided that if it be shown to the satisfaction of the licensing authority that a higher pressure is necessary in any generating apparatus and that such higher pressure may be used wihout danger, the licensing authority may, on the recommendation of the Chief Inspector of Explosives allow the use of higher pressures up to a maximum of 250 inches water column on the condition that the apparatus is fitted with suitable safety devices.
- (iii) Every apparatus, unless a metal label of instructions as to its operation is fixed to it, shall be accompanied by a card of instructions as to its operation. Such instructions shall be fully detailed and shall not presuppose any expert knowledge whatever on the part of the operator. The operating instructions when not fixed to the apparatus shall be kept constantly posted up in a place where it can conveniently be referred to by the attendant.
- (iv) A generator operating at a higher pressure than 60 inches water column shall have clearly marked on it, the water column pressure at which it works.
- 4. Not withstanding anything contained in Rule 3 of this Part, carbide of calcium may, with the special permission of the Government and on such conditions as may be fixed by them, be stored without a license in premises provided for the purpose,

Situation of. storage buildings.

Carbide of calcium shall be stored-(i) if in quantities aggregating not more than four hundred and fifty pounds-in a suitable uninhabited building at least twenty feet away from any other premises: provided that quartities not exceeding two hundred and

may be stored in a place connected with a shop at a distance of at least ten feet from other premises;

(ii) if in quantities aggregating more than four hundred and fifty pounds and not more than three thousand pounds-in a suitable uninhabited building at least forty feet away from any other premises;

(iii) if in quantities aggregating more than three thousand pounds and not more than fifty tons—in an uninhabited building at least one hundred feet away from any other premises.

Not more than fifty tons of carbide of calcium shall be

stored in any one building

6. Every building for the storage of carbide of calcium shall be

(a) constructed with stone, brick or iron walls, with Construction terraced, tiled or iron roofs and with tiled, paved, or cemented, or buildings. iron (or steel) floors raised at least a foot above the ground level; and

(b) well-ventilated and water-tight to the satisfaction of

the licensing authority,

7. Carbide of calcium shall be stored only on racks or Arrangements in trestles standing at least one foot above the level of the ground, storage and no articles of an inflammable or combustible nature shall be buildings.

kept in the same building.

7A If any carbide of calcium becomes wetted while being stored, it shall be destroyed by in mersion in deep water under instructions from the licensing authority. If however, deep water is not available, the wet carbide of calcium shall be spread out in the open in an isolated position, all precautions being taken to prevent lights being brought near until the material has given off all its gas.

> Note.—The fact of carbide of calcium/having become wet will be indicated by the outward appearance of the drum, and probably by a disagreeable odour showing a leakage of gas.

8. Licenses to possess carbide of calcium shall be in Form Licenses for

B in the schedule, and may be granted-

(i) by the District Magistrate, Municipal Commissioner, Bangalore City Municipality, President, City Municipality, Mysore or the Vice-President, Sanitary Board, Kolar Gold Fields as the case may be where the quantity to be possessed does not exceed 250 lbs;

(ii) by the Director of Industries and Commerce in Mysore, Bangalore, where the quantity to be possessed exceeds 250 lbs.

but does not exceed 3000 lbs.; and

(iii) by Government where the quantity to be stored

exceeds 3,000 pounds.

more than a

9. Every license for the possession of carbide of calcium Continuance shall remain in force until the 31st December next following the date of issue of the license.

Provided that the licensing authority may, at any time, for

good and sufficient reasons cancel any such license.

10. The fee for a license to possess carbide of calcium shall be five rupees.

Every application for the renewal of a license to possess carbide of calcium shall be made in the same manner as an application for an original license.

12 Every such application shall be made at a date not less than fifteen days prior to the date on which the original license expires. The fee charged for the renewal of a license shall be

three rupees. 13. Every retail vendor of carbide of calcium, selling any Packing and quantity exceeding half a pound to a purchaser, shall deliver it sale by retail to him in an air-tight tin or drum, packed and marked in accord- vendor. ance with these Rules, and bearing the name of the vendor plainly printed on the package.

14. Every retail vendor shall keep his carbide of calcium Packing and in a receptacle which can be easily opened and closed again so retail vendor. as to be air-tight, and shall open for the purpose of sale, not me recentacle at a time.

Renewal of

PART III-TRANSPORT OF CARBIDE OF CALCIUM.

Conditions of transport without license. 1. No license shall be required for the transport of carbide of calcium in any quantity not exceeding five pounds if it is packed in separate vessels each containing not more than one pound, of the nature described in, and labelled as required by Rule 1 of Part V.

Conditions of transport under license. 2. Carbide of calcium in any quantity exceeding five pounds may be transported only under a license to transport carbide of calcium granted under these Rules, and shall not be deposited at any time during transit in any building other than a building fulfilling the requirements of Rules 5 and 6 of Part II and shall not be stored in any such building except in accordance with the conditions as to storage prescribed by Rule 7 of Part II.

Conditions of transport by Railway. 3. Notwithstanding anything contained in Rule 2 of this part, carbide of calcium, while in the possession of a railway for transport, shall not be stored in any railway goods shed, but shall be stocked in the open under water-proof sheets and so placed as to prevent its getting wet.

Special precautions.

4. All lights shall be kept away from carbide of calcium stocked as provided in Rule 3 of this part.

Method of disposal if wetted in transit. 5. If any carbide of calcium is wetted while in the possession of a railway for transport it shall be destroyed by immersion in at least twenty times its bulk of water,

Note.—The fact of carbide of calcium having become wet will be indicated by the outward appearance of the drum, and probably by a disagreeable odour, showing a leakage of gas.

Conditions of transport by passenger train.

- 6. (i) When carbide of calcium is transported by passenger train, no quantity exceeding four hundred and fifty pounds shall be carried by any one train and the vehicles shall be well-ventilated and as far as possible water tight.
- (ii) In no circumstances shall a naked lamp or other unprotected artificial light be taken into a waggon, vessel, or conveyance containing carbide of calcium.

Transport

- 7. Licenses to transport carbide of calcium shall be either general or special in Form C or Form D in the schedule, and may be granted—
- (i) where the quantity to be transported does not exceed 100 pounds, by the District Magistrates, the Municipal Commissioner, Bangalore City Municipality, President, City Municipality, Mysore, the Vice-President, Sanitary Board, Kolar Gold Fields;
- (ii) where the quantity to be transported exceeds 100 pounds but not 1,000 pounds by the Director of Industries and Commerce in Mysore, Bangalore; and

(iii) in all other cases by Government.

Grant of general transport license. 8. A general license to transport carbide of calcium may be granted only to a person who holds an annual license to possess a quantity exceeding four hundred and fifty pounds of carbide of calcium.

Grant of special transport license.

9. A special license to transport carbide of calcium may be granted to any person for a particular consignment at the discretion of the licensing authority.

Free for general transport license. Application for general transport license.

- 10. The fee for a general license to transport carbide of calcium shall be three rupees.
- 11. An application for a general license to transport carbide of calcium shall state:—
- (a) the number and date of the license to possess carbide of calcium held by the applicant; and

(b) the period of currency of that license.

12. A general license to transport carbide of calcium shall remain in force until the 3 ist December next following the date of issue of the license.

Continuance of general transport license

13. An application for special license to transport carbide of calcium shall state-

transport

- (a) the place from which the carbide of calcium is to be transported;
 - (b) the place to which it is to be transported;

(c) the number of drums or cases;

(d) the quantity in each drum or case; (e) the name and address of the consignee;

- (f) whether the consignee has a license to possess carbide of calcium sufficient to cover the amount transported;
- (g) the date on which it is proposed to despatch the consignment.
- 14. A special license to transport carbide of calcium shall Continuance be in force for such period, not exceeding one month from the transport date of the grant of the license, as may be specified on the license.

15. The fee for a special license to transport carbide of Fee for calcium shall be one rupee,

licens

- 16. The holder of a general license to transport carbide of Issue and calcium shall, with each consignment conveyed under cover of passes. his license issue a pass in Form E in the schedule specifying-
- (a) the places from and to which the carbide of calcium is to be transported;
- (b) the quantity of carbide of calcium covered by the pass;

(c) the name and address of the consignee; and

(d) whether the consignee has a license to possess carbide of calcium sufficient to cover the amount transported.

17. Carbide of calcium may be transported within the Validity of Mysore State under cover of any license granted by the prescribed authorities in British India provided that the conditions of such license are observed throughout the period during which the carbide of calcium is in transit.

PART IV-OF INSPECTION.

1. The District Magistrate or any Magistrate subordinate to the District Magistrate appointed by him in this behalf by Officers. order, in writing, or the Director of Industries and Commerce in Mysore and any officer authorised by him in writing on this behalf or any Police Officer of or above the rank of Inspector appointed by the District Magistrate in this behalf by order in writing, or any other officer appointed by Government in this behalf, may at any time enter any premises in respect of which a license to possess carbide of calcium has been granted, for the purpose of inspecting the same.

2. Any officer so inspecting may require a sample or Requisition of samples to be delivered to him from any drum or case of carbide

of calcium stored in the premises inspected. 3. The licensee of any premises inspected shall personally or through a representative show to the officer so inspecting every place and every vessel in which carbide of calcium in his possession is kept deliver any samples required, and give such assistance as that officer may require.

4. Where a license to transport carbide of calicium has been Inspection during granted, any officer authorised under rule 1 of this part may, transit. at any time and on or before the arrival of the carbide of calcium at its destination, detain any conveyance, used for such transport, for the purpose of inspecting the license granted for the transport of the consignment or the pass issued by the licensee and seeing whether the provisions of these rules and the conditions of the license have been complied with.

ing officers.

PART V—GENERAL.

- Where carbide of calcium
- (a) is imported or kept at any place after seven days from and marking. the date of its importation, or

(b) is transported, or

(c) is sold or exposed for sale,

it shall be contained in substantial hermetically closed metal vessels each containing not more than two hundred and twenty-four pounds; having no copper in their construction and having attached to them labels stating in conspicuous characters the words—

together with the following caution:—
The contents of this package are liable, if brought into contact with moisture to give off a highly inflammable gas."

"Carbide of Calcium—dangerous if not kept dry,

and with the addition,-

- (d) in the case of a vessel kept, of the name and address of the consignee or owner;
- (e) in the case of a vessel transported, of the name and address of the sender; and
- (f) in the case of a vessel sold or exposed for sale of the name and address of the vendor.

Refusal of license

Report of

accident

2. A licensing authority may, for reasons to be reported to the Government, refuse a license in any case, the reasons for refusal being communicated to the applicant if a request to that effect is preferred by him, and the Government may, on receipt of such report, and of any representation made to it by the applicant, pass such orders on the case as they think fit.

3. Any explosion or accident occurring in connection with the importation, transport, possession, or sale of carbide of calcium shall be reported by the person in charge of the same

Procedure on death or disability of license. for the time being without delay at the nearest police station.

4. Where a licensee dies or becomes insolvent or becomes mentally incapable or otherwise disabled, the person carrying on the business of such licensee shall not be liable to any penalty or forfeiture under the Regulation or these rules for acting under the license during such time as may reasonably be necessary to allow him to make an application for a new license in his own name for the unexpired portion of the original license. Such new license shall be granted on payment of one rupee.

5. Where a license granted under these rules is lost or accidentally destroyed, a duplicate may be granted on payment of a fee of eight annas.

Levy of license fees.

Loss of

license.

6. (i) The fees chargeable under these rules shall be paid in cash on receipt of a notice from the licensing authority that a license will be granted.

(ii) the Court fee stamp of the value of twelve annas representing the fee chargeable under Schedule II, Art. I (b) of the Court fee Regulation, VIII of 1922 on an application for a license presented to a Magistrate should be attached to the application.

Production of license.

7. Any person holding a license or acting under a license granted under these rules shall be bound to produce the same when called upon to do so by any officer referred to in rule 1 of Part IV of these rules.

THE SCHEDULE.

FORM A.

Reg. No	offor a
Name in full of applicant with particulars of his residence. If a firm or company, its name or that of its Agent or Secretary.	
Situation of building for which the license is required.	
Quantity to be covered by license	
Is the carbide for use or for sale unopened in the vessels in which it is received, and, if not, what will be done with it?	
In what vessels will the carbide be kept, what is the capacity of the same, how are they closed against moisture, and of what material are they made.	
In what part of the building will the carbide be kept? How are the premises constructed? Are the premises used for other purposes, and if so, for what purpose?	
Is the carbide to be used for the manufacture of acetylene gas? How is the generator constructed and what is its capacity? Give sketch.	
Give particulars as to the building in which the generator will be placed, and state whether it is detached from other buildings, and whether it is used for other purposes. How is it proposed to dispose of the residue?	
Will the generator be in the sole charge of a person competent to manage it?	* * *

FORM B.

No.....

A license to possess not more than...... pounds of carbide of calcium at any one time in the building described below is hereby granted to.......... subject to the rules and conditions endorsed hereon. This license shall continue in force till, and become void after, the...........

(Description of the building)

Dated......19

Signature

of

ENDORSEMENT ON FORM B.

Rules.

(Here enter rules 1, 2, 3, 5 to 14 of Part II, 1 to 3 of Part IV, and 1 to 7 of Part V.)

Conditions.

- 1. This license is given subject to the provisions of the Mysore Petroleum Regulation, No. I of 1923 and the abovementioned rules for the possession and sale of carbide of calcium made thereunder.
- 2. If the licensing officer or any officer appointed under rule 1 of Part IV calls on the license-holder by notice in writing to execute any repairs to the building licensed which may, in the opinion of such officer, be necessary for the safety thereof, the license-holder shall execute the repairs within such period, not being less than one week from the date of receipt of the notice, as may be fixed by the notice.
- 3. Subject to the provisions of rule 2, Part II, the licensee shall not deliver any quantity of carbide of calcium exceeding twenty-eight pounds to any one who has not a license under section 10 of the Regulation or any quantity of such carbide of calcium exceeding half a pound, except in accordance with the rules as to the manner in which carbide of calcium is to be packed.
- 4. Vessels containing carbide of calcium shall be opened only for the time necessary for the removal of any quantity of carbide of calcium or for the refilling of other vessels. During such removal or refilling, every reasonable precaution shall be adopted for preventing moisture being brought into contact with the carbide of calcium as well as for guarding against the risk of ignition of any gas which may be liberated.
- 5. Every storage vessel of a greater storage capacity than two pounds shall be secured with a lock or be kept in a locked receptacle so as to prevent unauthorised persons having access to the contents.
- 6. Due precautions shall at all times be taken for the prevention of accidents from fire, and no smoking, light, or fire in any form shall be permitted at any time within or near the building in which the carbide of calcium is stored.
- 7. If the carbide of calcium is used for the manufacture of acetylene gas, the following precautions for ensuring safety shall be adopted:—
- (a) The apparatus used shall not be made to work at a pressure, exceeding 60 inches water column, except when the use of higher pressures is specially permitted under rule 3 of Part II.
- (b) Every apparatus for generating and storing acetylene gas other than a portable apparatus holding a charge of less than two pounds of carbide of calcium shall be placed in an outbuilding which shall be separated as far as may be practicable from any inhabited building and shall be well-ventilated.

(c) No fire or such artificial light as would ignite inflammable gas shall be taken into or near the building, in which a gas-making apparatus is placed.

8. Every apparatus (including generator and gas-holder) used for the manufacture of anotylene gas shall, as far as practi-

cable, be constructed and used so as to provide against special risk, that is to say:—

- (a) Copper shall not be used in any part of the apparatus.
- (b) The various parts shall be of adequate strength.(c) The escape of gas from the apparatus shall be carefully guarded against.

d) Satisfactory provision shall be made against the

dangerous development of heat.

(e) Satisfactory provision against undue pressure shall be made by the employment of an adequate safety valve connected with a pipe discharging into the open air, and a suitable pressure gauge shall be attached to the apparatus.

(f) Provision shall be made for the residue of the carbide of calcium being mixed with at least ten times its bulk of water

on being removed from the apparatus.

g) No person shall have charge of an apparatus unless he has been properly instructed in its management.

FORM C.

×	e-				
No					
A general license to transpartition of calcium by rail or by subject to the rules and condition	road is g	grante	ed to.		
This license shall continue	in force	till,	and	become	voi
after the		~	-		
			•		
Dated the19	٠	• 4		Signatu of	re.

ENDORSEMENT ON FORM C.

(Here enter rules 1, 2, 6 to 8, 10 to 12 and 16 of Part III, rule 4 of Part IV and rules 1 to 7 of Part V.)

Conditions.

- This license is given subject to the provisions of the Mysore Petroleum Regulation (No. 1 of 1923) and the abovementioned rules for the transport of carbide of calcium made thereunder.
- 2. Where the carbide of calcium is conveyed by rail, it shall be subject to all the regulations which may, from time to time, be prescribed generally or specially in that behalf by the: railway authority of the line over which it is conveyed.

FORM D.

· · · ·
No
A special license to transportpounds of carbide of calcium fromto
is hereby granted to
The weight of carbide of calcium in each package shall not exceed
This license shall continue in force till, and become void after theday of 19

Signature. of

ENDORSEMENT ON FORM D.

Rules.

(Here enter rules 1, 2, 6, 7, 9 and 13 to 15 of Part III, rule 4 of Part IV and rules 1 to 7 of Part V.)

Conditions.

- 1. This license is given subject to the provisions of the Mysore Petroleum Regulation (No. 1 of 1923) and the abovementioned rules for the transport of carbide of calcium made thereunder.
- 2. Where the carbide of calcium is conveyed by rail, it shall be subject to all the regulations which may, from time to time, be prescribed generally or specially in that behalf by the railway authority of the line over which it is conveyed.

\mathbf{F}	ORM	E.

37						20	
1/	0						

The said (consignee's name)......has a license to possess carbide of calcium sufficient to cover the amount abovementioned.

Dated the......19

Holder of General License No.

GENERAL SECRETARIAT

No. E. 2198-Edn. 159-33-12, dated 9th January 1934.

Under Section 4 of the Land Acquisition Regulation, 1894, as amended from time to time, it is hereby notified, that the properties described hereunder are required for a public purpose, viz., Extension of Play ground attached to High School, Chikballapur.

Under Section 5-A, it is directed that any person interested in the said properties may within 30 days after the issue of this notification prefer objections, if any thereto, to the Sub-Division Officer, Chikballapur, in writing, after which no objections will be heard.

A plan of the properties will be available for inspection in the Office of the Sub-Division Officer, Chikballapur Sub-Division.

	owner	r (if or per- ted in F.	or , wet,	i		req	it now uired		Bour	ndaries	
District Taluk Hobli Village	Khatedar or owner	Anabhavadar (if any) or other per sons interested in the property.		garden, etc. Total extent	Kharab	Extent	Assessment	East	West	North	South
Kolar Obikballapur Kaseba Obikballapur	Naranbhatta, Kama- settihalli (dead).	(1) Kamasettihalli Viswanathasastry, (2) Hanumantha Bhatta, (3) Suryana- rayanappa, (4) Aswa- thanarsyanasastry.	116 (Bhats Inam land)	Dry 32 guntas		32 guntas	Re. 1-14-0	Railway Road	Survey No. 117	Land belonging to Railway Department.	Survey No. 117
Kolar Obitchalla Kaseba Obitchalla	Chikkana, bin Hanu- mantha, Shivapurada (dead).	(1) Shivapurada Ohik Muniswamy, (3) Kuk- kala Dodnarimhajya, (3) Ajjavarda Shiya- purada Narsaimhajya, (4) Agsasra Venkat- ramanappa.	Dry		2 guntas	2 acres and 9 guntas	Rs, 6-7-0	Railway Road and Survey No. 116.	Righ School field	Railway Boundary and Veerathimmanaya- kana Narasimhaiya's and Chioka Ramaiya's lands.	Survey Nos. 246, 242, 243 and 258.

By Order,
H. V. RAMASVAMI,
Secretary to Government,
General Department.